



A “click” chemistry approach to phosphonated graft copolymers for potential fuel cell applications

Jankova Atanasova, Katja ; Dimitrov, Ivaylo; Takamuku, Shogo; Jannasch, Patric; Hvilsted, Søren

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Jankova Atanasova, K., Dimitrov, I., Takamuku, S., Jannasch, P., & Hvilsted, S. (2012). *A “click” chemistry approach to phosphonated graft copolymers for potential fuel cell applications*. Abstract from 49th Nordic Polymer Days 2012, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

A “click” chemistry approach to phosphonated graft copolymers for potential fuel cell applications

Katja Jankova,¹ Ivaylo Dimitrov,¹ Shogo Takamuku², Patric Jannasch², Søren Hvilsted¹

¹Department of Chemical and Biochemical Engineering, Danish Polymer Centre, Technical University of Denmark, DTU, DK-2800 Kgs. Lyngby, Denmark

²Department of Chemistry, Polymer and Materials Chemistry, Lund University, P. O. Box 124, SE-22 100 Lund, Sweden

kaj@kt.dtu.dk

Over the past two decades, many efforts to synthesize new polymers for proton exchange membrane (PEM) fuel cells have been reported.¹ Among these polymer examples, the ion-containing block and graft copolymers are of particular interest, because they combine the features of controlled structure and ion conductivity.^{2,3} Phosphonated polymers have a potential as an alternative to the sulfonated analogs for PEM fuel cells due to their high thermal stability and lower methanol permeability.⁴

Herein, we present the synthesis of novel graft copolymers comprising a hydrophobic polysulfone (PSU) backbone and highly phosphonated poly(pentafluorostyrene) (PFS) side chains (Figure 1). The synthetic strategy involves the preparation of alkyne end-functionalized PFS *via* atom transfer radical polymerization (ATRP) and modification of PSU with azide side groups. In the second step the PFS chains were grafted to the PSU backbone through the highly efficient and selective copper-catalyzed azide-alkyne 1,3-cycloaddition (CuCAAC). Finally, the phosphonic acid moieties were introduced into the PFS grafts⁵ through a post-functionalization. The controlled polymerization process and the high efficiency of the modification reactions facilitate precise tuning of the copolymers' hydrophilic-hydrophobic balance. Thus, it is possible to achieve maximum content of ionic groups in the graft copolymers while maintaining their water insolubility and film-forming properties. The copolymers were characterized by size-exclusion chromatography, FTIR and ¹H NMR spectroscopy. Their thermal properties were investigated by differential scanning calorimetry and thermal gravimetric analyses. Initial measurements on solvent-cast polymer membranes showed promising results for conductivities at elevated temperatures.




Figure 1. Structure of the phosphonated graft copolymers.

¹ Park, C.; Lee, C.; Guiver, M.; Lee, Y. *Prog. Polym. Sci.* **2011**, *36*, 1443-1498.

² Yang, Y.; Holdcroft, S. *Fuel Cells* **2005**, *5*, 171-186.

³ Elabd, Y.; Hickner, M. *Macromolecules* **2011**, *44*, 1-11.

⁴ Lafitte, B.; Jannasch, P. *Adv. Fuel Cells* **2007**, *1*, 119-185.

⁵ Atanasov, V.; Kerres, J. *Macromolecules* **2011**, *44*, 6416-642